



---

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water (SDWA) Laboratories

---

### Bureau of Integrated Science Services

### Laboratory Certification and Registration Program



# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### AgSource Cooperative Services

ID: 737109450

1001 Frontage Road  
Stratford WI 54484-  
Phone: (715) 687-4165

Contact: Tim Hutter  
thutter@agsource.com

TYPE: Commercial Environmental Lab

### Matrix: Drinking Water

#### Primary Inorganic Contaminants (Non-Metals)

- Fluoride - SM 4500F- C (18,19, or 20)
- Nitrate - SM 4500-NO3- D (18,19, or 20)
- Nitrite - SM 4500-NO2- B (18,19, or 20)

#### Primary Inorganic Contaminants (Metals)

- Arsenic - SM 3113B (18 or 19)
- Lead - SM 3113B (18 or 19)

### Ann Arbor Technical Services Inc (ATS)

ID: 998321720

290 South Wagner Road  
Ann Arbor MI 48103-  
Phone: (734) 995-0995

Contact: Mary Bennett  
mdbennett2@aol.com

TYPE: Commercial Environmental Lab

### Matrix: Drinking Water

#### Primary Inorganic Contaminants (Non-Metals)

- Cyanide - SM 4500-CN- C,E (18,19, or 20)
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrite - EPA 300.0

#### Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.9
- Arsenic - EPA 200.9
- Barium - SM 3113B (18 or 19)
- Beryllium - EPA 200.9
- Cadmium - EPA 200.9
- Chromium - EPA 200.9
- Copper - EPA 200.9
- Lead - EPA 200.9
- Mercury - EPA 245.1
- Nickel - EPA 200.9
- Selenium - EPA 200.9
- Thallium - EPA 200.9

#### Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

#### Secondary Contaminants (Metals)

- Sodium - SM 3111B (18 or 19)

### Ann Arbor Technical Services Inc (ATS)

ID: 998321720

290 South Wagner Road  
Ann Arbor MI 48103-  
Phone: (734) 995-0995

Contact: Mary Bennett  
mdbennett2@aol.com

TYPE: Commercial Environmental Lab

#### Trihalomethanes (THM)

- \* THM ANALYTE GROUP - EPA 502.2

#### Volatile Organic Compounds (VOC)

- \* VOCS, REGULATED ANALYTE GROUP  
EPA 502.2

### Badger Laboratories & Eng Co Inc

ID: 445023150

501 W Bell Street  
Neenah WI 54956-1392  
Phone: (920) 729-1100

Contact: Jeffrey Wagner  
jwagner@badgerlabs.com

TYPE: Commercial Environmental Lab

### Matrix: Drinking Water

#### Primary Inorganic Contaminants (Non-Metals)

- Cyanide - EPA 335.4
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrite - EPA 300.0

#### Primary Inorganic Contaminants (Metals)

- Antimony - SM 3113B (18 or 19)
- Arsenic - SM 3113B (18 or 19)
- Barium - SM 3111D (18 or 19)
- Beryllium - SM 3113B (18 or 19)
- Cadmium - SM 3113B (18 or 19)
- Chromium - SM 3113B (18 or 19)
- Copper - SM 3111B (18 or 19)
- Lead - SM 3113B (18 or 19)
- Mercury - EPA 245.1
- Nickel - SM 3113B (18 or 19)
- Selenium - SM 3113B (18 or 19)

#### Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

#### Secondary Contaminants (Metals)

- Sodium - SM 3111B (18 or 19)

### Braun Intertec Corporation

ID: 999462640

11001 Hampshire Avenue S  
Minneapolis MN 55438-  
Phone: (952) 995-2674

Contact: Craig Foxhoven  
cfoxhoven@braunintertec.com

TYPE: Commercial Environmental Lab

### Matrix: Drinking Water

#### Primary Inorganic Contaminants (Non-Metals)

- Nitrite - EPA 353.2

#### Primary Inorganic Contaminants (Metals)

- Arsenic - EPA 200.8
- Barium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 245.1
- Selenium - EPA 200.8

### Broward Testing Laboratory, Ltd.

ID: 998379580

4416 NE 11th Avenue  
Ft. Lauderdale FL 33334-  
Phone: (954) 776-7238

Contact: Gayle Kugelman  
rlyons@ntlilabs.com

TYPE: Commercial Environmental Lab

### Matrix: Drinking Water

#### Disinfection Byproducts

- Bromate - EPA 317.0 Rev. 2.0

#### Primary Inorganic Contaminants (Non-Metals)

- Cyanide - SM 4500-CN- C,F (18,19,20)
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

#### Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

#### SOC - Organochlorine Pesticides

- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 525.2
- Lindane (gamma-BHC) - EPA 525.2
- Methoxychlor - EPA 525.2

#### SOC - N/P Pesticides

- Alachlor - EPA 525.2
- Atrazine - EPA 525.2

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Broward Testing Laboratory, Ltd.

ID: 998379580

4416 NE 11th Avenue  
Ft. Lauderdale FL 33334  
Phone: (954) 776-7238

Contact: Gayle Kugelman  
rklyons@ntllabs.com

TYPE: Commercial Environmental Lab

- Simazine - EPA 525.2

#### SOC - Herbicides

- Pentachlorophenol - EPA 515.3
- Picloram - EPA 515.3
- Silvex (2,4,5-TP) - EPA 515.3

#### SOC - Miscellaneous

- Benzo(a)pyrene - EPA 525.2
- Carbofuran - EPA 531.1
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Diquat - EPA 549.2
- Endothall - EPA 548.1
- Hexachlorobenzene - EPA 525.2
- Hexachlorocyclopentadiene - EPA 525.2

### Cardinal Environmental, Inc.

ID: 460024950

3303 Paine Ave  
Sheboygan WI 53081-  
Phone: (920) 459-2500

Contact: Amanda Greuel  
agreuel@cardinalenvironmental.com

TYPE: Commercial Environmental Lab

#### Matrix: Drinking Water

##### Primary Inorganic Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3- E (18,19, or 20)
- Nitrate + Nitrite - SM 4500-NO3- E (18,19, or 20)
- Nitrite - SM 4500-NO2- B (18,19, or 20)

##### Primary Inorganic Contaminants (Metals)

- Copper - SM 3111B (18 or 19)
- Lead - SM 3113B (18 or 19)

### City of Beloit Water Resources

ID: 154001650

555 Willowbrook Road  
Beloit WI 53511-  
Phone: (608) 364-2888

Contact: Cheryl Simplot  
simplotc@ci.beloit.wi.us

TYPE: Municipal Wastewater Lab

### City of Beloit Water Resources

ID: 154001650

555 Willowbrook Road  
Beloit WI 53511-  
Phone: (608) 364-2888

Contact: Cheryl Simplot  
simplotc@ci.beloit.wi.us

TYPE: Municipal Wastewater Lab

#### Matrix: Drinking Water

##### Primary Inorganic Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3- D (18,19, or 20)

### Clean Water Testing LLC

ID: 445126660

1990 Prospect Court  
Appleton WI 54914-  
Phone: (920) 733-7590

Contact: Rhonda Chier  
rchier@water-right.com

TYPE: Commercial Environmental Lab

#### Matrix: Drinking Water

##### Primary Inorganic Contaminants (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - SM 4500-NO3-F (18,19, or 20)
- Nitrate + Nitrite - SM 4500-NO3-F (18,19, or 20)
- Nitrite - SM 4500-NO2- B (18,19, or 20)

##### Primary Inorganic Contaminants (Metals)

- Antimony - SM 3113B (18 or 19)
- Arsenic - SM 3113B (18 or 19)
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - EPA 200.7
- Chromium - EPA 200.7
- Copper - EPA 200.7
- Copper - SM 3113B (18 or 19)
- Lead - SM 3113B (18 or 19)
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Selenium - SM 3113B (18 or 19)
- Thallium - EPA 200.9

##### Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

##### Secondary Contaminants (Metals)

- Sodium - EPA 200.7

### Columbia Analytical Services, Inc. - Kels

ID: 998386840

1317 South 13th Avenue  
Kelso WA 98626-  
Phone: (360) 577-7222

Contact: Julie Gish  
jgish@caslab.com

TYPE: Commercial Environmental Lab

#### Matrix: Drinking Water

##### Disinfection Byproducts

- \* HALOACETIC ACIDS ANALYTE GROUP - EPA 552.2
- Bromate - EPA 300.1
- Chlorite - EPA 300.1

##### Primary Inorganic Contaminants (Non-Metals)

- Fluoride - EPA 300.0
- Fluoride - SM 4500F- C (18,19, or 20)
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2

##### Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Arsenic - EPA 200.9
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Lead - EPA 200.9
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Selenium - EPA 200.9
- Thallium - EPA 200.8
- Thallium - EPA 200.9

##### Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

##### Secondary Contaminants (Metals)

- Sodium - EPA 200.7

##### SOC - Organochlorine Pesticides

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Columbia Analytical Services, Inc. - Kels

ID: 998386840

1317 South 13th Avenue

Kelso WA 98626-

Phone: (360) 577-7222

Contact: Julie Gish

gjish@caslab.com

TYPE: Commercial Environmental Lab

- Chlordane - EPA 508.1
- Endrin - EPA 508.1
- Heptachlor - EPA 508.1
- Heptachlor epoxide - EPA 508.1
- Lindane (gamma-BHC) - EPA 508.1
- Methoxychlor - EPA 508.1
- Toxaphene - EPA 508.1

#### SOC - N/P Pesticides

- Alachlor - EPA 525.2
- Atrazine - EPA 525.2
- Simazine - EPA 525.2

#### SOC - Herbicides

- 2,4-D - EPA 515.4
- Dalapon - EPA 515.4
- Dinoseb - EPA 515.4
- Pentachlorophenol - EPA 515.4
- Picloram - EPA 515.4
- Silvex (2,4,5-TP) - EPA 515.4

#### SOC - Miscellaneous

- Benzo(a)pyrene - EPA 525.2
- Carbofuran - EPA 531.1
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504
- Diquat - EPA 549.2
- Endothall - EPA 548.1
- Ethylene Dibromide (EDB) - EPA 504.1
- Glyphosate - EPA 547
- Hexachlorobenzene - EPA 525.2
- Hexachlorocyclopentadiene - EPA 525.2
- Oxamyl (Vydate) - EPA 531.1

#### Trihalomethanes (THM)

- \* THM ANALYTE GROUP - EPA 524.2

#### Volatile Organic Compounds (VOC)

- \* VOCS, REGULATED ANALYTE GROUP EPA 524.2

### Commercial Testing Laboratory Inc.

ID: 617013980

PO Box 526

Colfax WI 54730-

Phone: (715) 962-3121

Contact: Pamela Gane

pamg@ctcolfax.com

TYPE: Commercial Environmental Lab

#### *Matrix: Drinking Water*

##### Primary Inorganic Contaminants (Non-Metals)

- Cyanide - SM 4500-CN- C,E (18,19, or 20)
- Fluoride - SM 4500F- C (18,19, or 20)
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2

##### Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.9
- Arsenic - EPA 200.9
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - EPA 200.9
- Chromium - EPA 200.7
- Copper - EPA 200.7
- Lead - EPA 200.9
- Mercury - EPA 245.2
- Nickel - EPA 200.7
- Selenium - EPA 200.9
- Thallium - EPA 200.9

##### Secondary Contaminants (Metals)

- Sodium - EPA 200.7

### CT Laboratories

ID: 157066030

1230 Lange Ct.

Baraboo WI 53913-

Phone: (608) 356-2760

Contact: Dan Elwood

delwood@ctlaboratories.com

TYPE: Commercial Environmental Lab

#### *Matrix: Drinking Water*

##### Primary Inorganic Contaminants (Non-Metals)

- Cyanide - EPA 335.4
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrite - EPA 300.0

##### Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.9
- Arsenic - EPA 200.9

### CT Laboratories

ID: 157066030

1230 Lange Ct.

Baraboo WI 53913-

Phone: (608) 356-2760

Contact: Dan Elwood

delwood@ctlaboratories.com

TYPE: Commercial Environmental Lab

- Barium - EPA 200.7
  - Beryllium - EPA 200.7
  - Cadmium - EPA 200.7
  - Chromium - EPA 200.7
  - Copper - EPA 200.7
  - Lead - EPA 200.9
  - Mercury - EPA 245.2
  - Nickel - EPA 200.7
  - Selenium - EPA 200.9
  - Thallium - EPA 200.9
- ##### Secondary Contaminants (Non-Metals)
- Sulfate - EPA 300.0
- ##### Secondary Contaminants (Metals)
- Sodium - EPA 200.7
- ##### Trihalomethanes (THM)
- \* THM ANALYTE GROUP - EPA 524.2
- ##### Volatile Organic Compounds (VOC)
- \* VOCS, REGULATED ANALYTE GROUP EPA 524.2

### Davy Laboratories

ID: 632021390

115 South 6th Street

La Crosse WI 54601-

Phone: (608) 782-3130

Contact: Paul Harris

pharris@davyinc.com

TYPE: Commercial Environmental Lab

#### *Matrix: Drinking Water*

##### Disinfection Byproducts

- \* HALOACETIC ACIDS ANALYTE GROUP - EPA 552.2
- Bromate - EPA 300.1
- Chlorite - EPA 300.1

##### Primary Inorganic Contaminants (Non-Metals)

- Cyanide - SM 4500-CN- C,E (18,19, or 20)
- Cyanide, Amenable - SM 4500-CN- C,G (18,19, or 20)
- Fluoride - SM 4500F- C (18,19, or 20)
- Nitrate - EPA 300.0
- Nitrate - SM 4500-NO3- D (18,19, or 20)

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

*This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Davy Laboratories**  
 ID: 632021390  
 115 South 6th Street  
 La Crosse WI 54601-  
 Phone: (608) 782-3130  
 Contact: Paul Harris  
 pharris@davyinc.com  
 TYPE: Commercial Environmental Lab

- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - SM 4500-NO3-F (18,19, or 20)
- Nitrite - EPA 300.0
- Nitrite - SM 4500-NO2- B (18,19, or 20)

Primary Inorganic Contaminants (Metals)

- Antimony - SM 3113B (18 or 19)
- Arsenic - SM 3113B (18 or 19)
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Beryllium - SM 3113B (18 or 19)
- Cadmium - EPA 200.7
- Cadmium - SM 3113B (18 or 19)
- Chromium - EPA 200.7
- Chromium - SM 3113B (18 or 19)
- Copper - EPA 200.7
- Copper - SM 3111B (18 or 19)
- Copper - SM 3113B (18 or 19)
- Lead - SM 3113B (18 or 19)
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nickel - SM 3113B (18 or 19)
- Selenium - SM 3113B (18 or 19)
- Thallium - EPA 200.9

Secondary Contaminants (Non-Metals)

- Alkalinity - SM online 2320B-97
- Chloride - EPA 300.0
- Chloride - SM 4500-Cl- D (18,19, or 20)
- Chlorine Residual, Free - SM 4500-Cl G (18,19,20)
- Chlorine Residual, Total - SM 4500-Cl G (18,19,20)
- Orthophosphate - ASTM D515-88A
- pH - SM 4500-H+ B (18,19, or 20)
- Sulfate - EPA 300.0
- Turbidity - SM 2130B (18,19, or 20)

Secondary Contaminants (Metals)

- Aluminum - EPA 200.7
- Aluminum - SM 3113B (18 or 19)
- Calcium - EPA 200.7
- Calcium - SM 3111B (18 or 19)
- Iron - EPA 200.7

**Davy Laboratories**  
 ID: 632021390  
 115 South 6th Street  
 La Crosse WI 54601-  
 Phone: (608) 782-3130  
 Contact: Paul Harris  
 pharris@davyinc.com  
 TYPE: Commercial Environmental Lab

- Iron - SM 3111B (18 or 19)
- Manganese - EPA 200.7
- Manganese - SM 3111B (18 or 19)
- Silver - EPA 200.7
- Sodium - EPA 200.7
- Sodium - SM 3111B (18 or 19)
- Zinc - EPA 200.7
- Zinc - SM 3111B (18 or 19)

SOC - Organochlorine Pesticides

- Chlordane - EPA 505
- Endrin - EPA 505
- Endrin - EPA 525.2
- Heptachlor - EPA 505
- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 505
- Heptachlor epoxide - EPA 525.2
- Lindane (gamma-BHC) - EPA 505
- Lindane (gamma-BHC) - EPA 525.2
- Methoxychlor - EPA 505
- Methoxychlor - EPA 525.2
- Toxaphene - EPA 505

SOC - N/P Pesticides

- Alachlor - EPA 505
- Alachlor - EPA 525.2
- Atrazine - EPA 505
- Atrazine - EPA 525.2
- Simazine - EPA 505
- Simazine - EPA 525.2

SOC - Herbicides

- 2,4-D - EPA 515.3
- Dalapon - EPA 515.3
- Dinoseb - EPA 515.3
- Pentachlorophenol - EPA 515.3
- Pentachlorophenol - EPA 525.2
- Picloram - EPA 515.3
- Silvex (2,4,5-TP) - EPA 515.3

SOC - Miscellaneous

- Benzo(a)pyrene - EPA 525.2
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504

**Davy Laboratories**  
 ID: 632021390  
 115 South 6th Street  
 La Crosse WI 54601-  
 Phone: (608) 782-3130  
 Contact: Paul Harris  
 pharris@davyinc.com  
 TYPE: Commercial Environmental Lab

- Endothall - EPA 548.1
- Ethylene Dibromide (EDB) - EPA 504.1
- Hexachlorobenzene - EPA 505
- Hexachlorobenzene - EPA 525.2
- Hexachlorocyclopentadiene - EPA 505
- Hexachlorocyclopentadiene - EPA 525.2
- PCBs (as Aroclors) Screening - EPA 508

Trihalomethanes (THM)

- \* THM ANALYTE GROUP - EPA 502.2
- \* THM ANALYTE GROUP - EPA 524.2
- \* THM ANALYTE GROUP - EPA 551.1

Volatile Organic Compounds (VOC)

- \* VOCS, REGULATED ANALYTE GROUP EPA 502.2
- \* VOCS, REGULATED ANALYTE GROUP EPA 524.2

**Eau Claire City-County Health Department**  
 ID: 618019820  
 720 2nd Avenue  
 Eau Claire WI 54703-  
 Phone: (715) 839-4718  
 Contact: Ted Johnson  
 tjohnson@ci.eau-claire.wi.us  
 TYPE: Public Health Lab

*Matrix: Drinking Water*

Primary Inorganic Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3- D (18,19, or 20)

Primary Inorganic Contaminants (Metals)

- Copper - SM 3111B (18 or 19)
- Lead - SM 3113B (18 or 19)

Trihalomethanes (THM)

- \* THM ANALYTE GROUP - EPA 524.2

Volatile Organic Compounds (VOC)

- \* VOCS, REGULATED ANALYTE GROUP EPA 524.2

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

**Heritage Environmental Services, LLC**  
ID: 999788130  
7901 W. Morris Street  
Indianapolis IN 46237-  
Phone: (317) 390-3182  
Contact: Gregory Busch  
greg.busch@heritage-enviro.com  
TYPE: Commercial Environmental Lab

**Heritage Environmental Services, LLC**  
ID: 999788130  
7901 W. Morris Street  
Indianapolis IN 46237-  
Phone: (317) 390-3182  
Contact: Gregory Busch  
greg.busch@heritage-enviro.com  
TYPE: Commercial Environmental Lab

**Kenosha County Health Dept Lab**  
ID: 230153220  
8600 Sheridan Road  
Kenosha WI 53143-  
Phone: (262) 653-6960  
Contact: Jennifer Greene  
Jgreene@co.kenosha.wi.us  
TYPE: Public Health Lab

### Matrix: Drinking Water

#### Primary Inorganic Contaminants (Non-Metals)

- Cyanide - EPA 335.4
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2

#### Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8

#### Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

#### Secondary Contaminants (Metals)

- Sodium - EPA 200.7

#### SOC - Organochlorine Pesticides

- Chlordane - EPA 508
- Heptachlor - EPA 508
- Heptachlor epoxide - EPA 508
- Lindane (gamma-BHC) - EPA 508
- Methoxychlor - EPA 508
- Toxaphene - EPA 508

#### SOC - Herbicides

- 2,4-D - EPA 515.1
- Dalapon - EPA 515.1

- Dinoseb - EPA 515.1
  - Pentachlorophenol - EPA 515.1
  - Picloram - EPA 515.1
  - Silvex (2.4.5-TP) - EPA 515.1
- SOC - Miscellaneous
- Carbofuran - EPA 531.1
  - Dibromochloropropane (DBCP) - EPA 504
  - Diquat - EPA 549.2
  - Endothall - EPA 548.1
  - Ethylene Dibromide (EDB) - EPA 504.1
  - Hexachlorobenzene - EPA 508
  - Hexachlorocyclopentadiene - EPA 508
  - Oxamyl (Vydate) - EPA 531.1
  - PCBs (as Decachlorobiphenyl) - EPA 508/

#### Volatile Organic Compounds (VOC)

- \* VOCs, REGULATED ANALYTE GROUP  
EPA 524.2

### JRS Labs

ID: 267184170  
N6000 County Road PS  
Hartford WI 53027-  
Phone: (262) 629-9925  
Contact: James Reichard  
jim@jrsexcavating.com  
TYPE: Commercial Environmental Lab

### Matrix: Drinking Water

#### Primary Inorganic Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3- D (18,19, or 20)

### Kenosha County Health Dept Lab

ID: 230153220  
8600 Sheridan Road  
Kenosha WI 53143-  
Phone: (262) 653-6960  
Contact: Jennifer Greene  
Jgreene@co.kenosha.wi.us  
TYPE: Public Health Lab

### Matrix: Drinking Water

#### Primary Inorganic Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3- D (18,19, or 20)

### Kohler Co., Chemical & Metallurgical Lab

ID: 460032870  
444 Highland Drive  
Kohler WI 53044-  
Phone: (920) 457-4441  
Contact: Lisa Escher  
lisa.escher@kohler.com  
TYPE: Industrial Environmental Lab

### Matrix: Drinking Water

#### Primary Inorganic Contaminants (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2

#### Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

#### Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

*This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**LaCrosse Public Health Laboratory**  
 ID: 632072980  
 300 North 4th Street  
 LaCrosse WI 54601-3299  
 Phone: (608) 789-7816  
 Contact: James Steinhoff  
 steinhoff.jim@co.la-crosse.wi.us  
 TYPE: Public Health Lab

**Matrix: Drinking Water**

Primary Inorganic Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3- D (18,19, or 20)

**Luxerin Laboratory**  
 ID: 420028730  
 P.O. Box 694  
 Fond du Lac WI 54936-  
 Phone: (920) 921-1061  
 Contact: Patrick Sheridan  
 luxerin@hotmail.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganic Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3- D (18,19, or 20)

**Marathon County Public Health Lab**  
 ID: 737157080  
 1200 Lakeview Dr Room 200  
 Wausau WI 54403-  
 Phone: (715) 261-1908  
 Contact: Ruth Marx  
 rkmarx@mail.co.marathon.wi.us  
 TYPE: Public Health Lab

**Matrix: Drinking Water**

Primary Inorganic Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3- D (18,19, or 20)

**Minnesota Valley Testing (MVTL)**  
 ID: 999447680  
 PO Box 249  
 New Ulm MN 56073-  
 Phone: (507) 354-8517  
 Contact: Mary Ann Baumgart  
 mbaumgart@mvtl.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganic Contaminants (Non-Metals)

- Fluoride - SM 4500F- C (18,19, or 20)

**Minnesota Valley Testing (MVTL)**  
 ID: 999447680  
 PO Box 249  
 New Ulm MN 56073-  
 Phone: (507) 354-8517  
 Contact: Mary Ann Baumgart  
 mbaumgart@mvtl.com  
 TYPE: Commercial Environmental Lab

- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2

**MWH Laboratories, - Div. of MWH Americ**  
 ID: 998316660  
 750 Royal Oaks Dr, Suite 100  
 Monrovia CA 91016-3629  
 Phone: (626) 386-1100  
 Contact: Nilda Cox  
 nilda.b.cox@mwhglobal.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Disinfection Byproducts

- \* HALOACETIC ACIDS ANALYTE GROUP - SM 6251B (19, or 20)
- Bromate - EPA 300.1
- Bromate - EPA 317.0 Rev. 2.0
- Chlorite - EPA 300.0
- Chlorite - EPA 300.1

Primary Inorganic Contaminants (Non-Metals)

- Cyanide - EPA 335.4
- Cyanide - SM 4500-CN- C,F (18,19,20)
- Cyanide, Amenable - SM 4500-CN- C,G (18,19, or 20)
- Fluoride - SM 4500F- C (18,19, or 20)
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2

Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8

**MWH Laboratories, - Div. of MWH Americ**  
 ID: 998316660  
 750 Royal Oaks Dr, Suite 100  
 Monrovia CA 91016-3629  
 Phone: (626) 386-1100  
 Contact: Nilda Cox  
 nilda.b.cox@mwhglobal.com  
 TYPE: Commercial Environmental Lab

- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

Secondary Contaminants (Metals)

- Sodium - EPA 200.7

SOC - Organochlorine Pesticides

- Chlordane - EPA 505
- Chlordane - EPA 525.2
- Endrin - EPA 505
- Endrin - EPA 525.2
- Heptachlor - EPA 505
- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 505
- Heptachlor epoxide - EPA 525.2
- Lindane (gamma-BHC) - EPA 505
- Lindane (gamma-BHC) - EPA 525.2
- Methoxychlor - EPA 505
- Methoxychlor - EPA 525.2
- Toxaphene - EPA 505

SOC - N/P Pesticides

- Alachlor - EPA 505
- Alachlor - EPA 525.2
- Atrazine - EPA 525.2
- Simazine - EPA 525.2

SOC - Herbicides

- 2,4-D - EPA 515.4
- Dalapon - EPA 515.4
- Dinoseb - EPA 515.4
- Pentachlorophenol - EPA 515.4
- Pentachlorophenol - EPA 525.2
- Picloram - EPA 515.4
- Silvex (2,4,5-TP) - EPA 515.4

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

**MWH Laboratories, - Div. of MWH Americ**  
ID: 998316660  
750 Royal Oaks Dr, Suite 100  
Monrovia CA 91016-3629  
Phone: (626) 386-1100  
Contact: Nilda Cox  
nilda.b.cox@mwhglobal.com  
TYPE: Commercial Environmental Lab

### SOC - Miscellaneous

- Benzo(a)pyrene - EPA 525.2
- Carbofuran - EPA 531.2
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504
- Diquat - EPA 549.2
- Endothall - EPA 548.1
- Ethylene Dibromide (EDB) - EPA 504.1
- Glyphosate - EPA 547
- Hexachlorobenzene - EPA 525.2
- Hexachlorocyclopentadiene - EPA 525.2
- Oxamyl (Vydate) - EPA 531.2

### Trihalomethanes (THM)

- \* THM ANALYTE GROUP - EPA 524.2
- \* THM ANALYTE GROUP - EPA 551.1

### Volatile Organic Compounds (VOC)

- \* VOCS, REGULATED ANALYTE GROUP  
EPA 524.2

**National Testing Laboratories, Inc.**  
ID: 999462860  
556 S Mansfield St  
Ypsilanti MI 48197-  
Phone: (734) 483-8333  
Contact: David Vesey  
dvesey@NTLLABS.com  
TYPE: Commercial Environmental Lab

### **Matrix: Drinking Water**

#### Disinfection Byproducts

- \* HALOACETIC ACIDS ANALYTE  
GROUP - EPA 552.2
- Bromate - EPA 300.1
- Chlorite - EPA 300.1

#### Primary Inorganic Contaminants (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrite - EPA 300.0

#### Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.8
- Antimony - SM 3113B (18 or 19)

**National Testing Laboratories, Inc.**  
ID: 999462860  
556 S Mansfield St  
Ypsilanti MI 48197-  
Phone: (734) 483-8333  
Contact: David Vesey  
dvesey@NTLLABS.com  
TYPE: Commercial Environmental Lab

- Arsenic - EPA 200.8
- Arsenic - SM 3113B (18 or 19)
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Chromium - SM 3113B (18 or 19)
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Lead - SM 3113B (18 or 19)
- Mercury - EPA 200.8
- Nickel - EPA 200.8
- Nickel - SM 3113B (18 or 19)
- Selenium - EPA 200.8
- Selenium - SM 3113B (18 or 19)
- Thallium - EPA 200.8
- Thallium - EPA 200.9

#### Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

#### Secondary Contaminants (Metals)

- Sodium - EPA 200.7

#### SOC - Organochlorine Pesticides

- Chlordane - EPA 505
- Endrin - EPA 505
- Heptachlor - EPA 505
- Heptachlor epoxide - EPA 505
- Lindane (gamma-BHC) - EPA 505
- Methoxychlor - EPA 505
- Toxaphene - EPA 505

#### SOC - N/P Pesticides

- Alachlor - EPA 508.1
- Atrazine - EPA 508.1
- Simazine - EPA 508.1

#### SOC - Herbicides

- 2,4-D - EPA 515.2
- Dalapon - EPA 515.3
- Dinoseb - EPA 515.2

**National Testing Laboratories, Inc.**  
ID: 999462860  
556 S Mansfield St  
Ypsilanti MI 48197-  
Phone: (734) 483-8333  
Contact: David Vesey  
dvesey@NTLLABS.com  
TYPE: Commercial Environmental Lab

- Pentachlorophenol - EPA 515.2
- Picloram - EPA 515.2
- Silvex (2.4.5-TP) - EPA 515.2

#### SOC - Miscellaneous

- Dibromochloropropane (DBCP) - EPA 504
- Ethylene Dibromide (EDB) - EPA 504.1
- Hexachlorobenzene - EPA 505
- Hexachlorocyclopentadiene - EPA 505

#### Trihalomethanes (THM)

- \* THM ANALYTE GROUP - EPA 524.2

#### Volatile Organic Compounds (VOC)

- \* VOCS, REGULATED ANALYTE GROUP  
EPA 524.2

**Northern Lake Service Inc**  
ID: 721026460  
400 North Lake Ave  
Crandon WI 54520-1286  
Phone: (715) 478-2777  
Contact: Tom Priebe  
priebet@newnorth.net  
TYPE: Commercial Environmental Lab

### **Matrix: Drinking Water**

#### Disinfection Byproducts

- \* HALOACETIC ACIDS ANALYTE  
GROUP - EPA 552.2
- Bromate - EPA 300.1

#### Primary Inorganic Contaminants (Non-Metals)

- Cyanide - EPA 335.4
- Fluoride - SM 4500F- C (18,19, or 20)
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - SM 4500-NO2- B (18,19, or 20)

#### Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.8
- Antimony - SM 3113B (18 or 19)
- Arsenic - EPA 200.8
- Arsenic - SM 3113B (18 or 19)
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

*This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Northern Lake Service Inc**  
 ID: 721026460  
 400 North Lake Ave  
 Crandon WI 54520-1286  
 Phone: (715) 478-2777  
 Contact: Tom Priebe  
 priebet@newnorth.net  
 TYPE: Commercial Environmental Lab

- Beryllium - EPA 200.8
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Lead - SM 3113B (18 or 19)
- Mercury - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Selenium - SM 3113B (18 or 19)
- Thallium - EPA 200.8
- Thallium - EPA 200.9

Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

Secondary Contaminants (Metals)

- Sodium - EPA 200.7

SOC - Organochlorine Pesticides

- Chlordane - EPA 505
- Endrin - EPA 525.2
- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 525.2
- Lindane (gamma-BHC) - EPA 525.2
- Methoxychlor - EPA 525.2
- Toxaphene - EPA 505

SOC - N/P Pesticides

- Alachlor - EPA 525.2
- Atrazine - EPA 525.2
- Simazine - EPA 525.2

SOC - Miscellaneous

- Benzo(a)pyrene - EPA 525.2
- Carbofuran - EPA 531.1
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504
- Diquat - EPA 549.2
- Endothall - EPA 548.1

**Northern Lake Service Inc**  
 ID: 721026460  
 400 North Lake Ave  
 Crandon WI 54520-1286  
 Phone: (715) 478-2777  
 Contact: Tom Priebe  
 priebet@newnorth.net  
 TYPE: Commercial Environmental Lab

- Ethylene Dibromide (EDB) - EPA 504.1
  - Glyphosate - EPA 547
  - Hexachlorobenzene - EPA 525.2
  - Hexachlorocyclopentadiene - EPA 525.2
  - Oxamyl (Vydate) - EPA 531.1
  - PCBs (as Decachlorobiphenyl) - EPA 508/
- Trihalomethanes (THM)
- \* THM ANALYTE GROUP - EPA 524.2
- Volatile Organic Compounds (VOC)
- \* VOCS, REGULATED ANALYTE GROUP  
EPA 524.2

**Pace Analytical Services, Inc. Green Bay**  
 ID: 405132750  
 1241 Bellevue Street  
 Green Bay WI 54302-  
 Phone: (920) 469-2436  
 Contact: Kate Grams  
 Kate.grams@pacelabs.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganic Contaminants (Non-Metals)

- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

**Pace Analytical Services, Inc.**

ID: 999407970  
 1700 SE Elm St. Suite 200  
 Minneapolis MN 55414-  
 Phone: (612) 607-1700  
 Contact: Melanie Ollila  
 Melanie.Ollila@pacelabs.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganic Contaminants (Non-Metals)

- Cyanide - SM 4500-CN- C,E (18,19, or 20)
- Cyanide, Amenable - SM 4500-CN- C,G (18,19, or 20)
- Fluoride - SM 4500F- C (18,19, or 20)
- Nitrite - SM 4500-NO2- B (18,19, or 20)

**Pace Analytical Services, Inc.**  
 ID: 999407970  
 1700 SE Elm St. Suite 200  
 Minneapolis MN 55414-  
 Phone: (612) 607-1700  
 Contact: Melanie Ollila  
 Melanie.Ollila@pacelabs.com  
 TYPE: Commercial Environmental Lab

Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Contaminants (Metals)

- Sodium - EPA 200.7

Synthetic Organic Contaminants (SOC) - Dioxin

- 2,3,7,8-TCDD (Dioxin) - EPA 1613

Trihalomethanes (THM)

- \* THM ANALYTE GROUP - EPA 524.2

Volatile Organic Compounds (VOC)

- \* VOCS, REGULATED ANALYTE GROUP  
EPA 524.2

**PDC Laboratories, Inc. - Altorfer Drive**  
 ID: 998284430  
 P O Box 9071  
 Peoria IL 61615-  
 Phone: (309) 692-9688  
 Contact: Michael Travis  
 mtravis@pdclab.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganic Contaminants (Non-Metals)

- Cyanide - EPA 335.4

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

*This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**PDC Laboratories, Inc. - Altorfer Drive**  
 ID: 998284430  
 P O Box 9071  
 Peoria IL 61615-  
 Phone: (309) 692-9688  
 Contact: Michael Travis  
 mtravis@pdclab.com  
 TYPE: Commercial Environmental Lab

- Fluoride - EPA 300.0
- Fluoride - SM 4500F- C (18,19, or 20)
- Nitrate - EPA 300.0
- Nitrate - SM 4500-NO3-F (18,19, or 20)
- Nitrate + Nitrite - SM 4500-NO3-F (18,19, or 20)
- Nitrite - EPA 300.0
- Nitrite - SM 4500-NO3-F (18,19, or 20)

Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

Secondary Contaminants (Metals)

- Sodium - EPA 200.7

SOC - Organochlorine Pesticides

- Chlordane - EPA 508
- Endrin - EPA 508
- Heptachlor - EPA 508
- Heptachlor epoxide - EPA 508
- Lindane (gamma-BHC) - EPA 508
- Methoxychlor - EPA 508
- Toxaphene - EPA 508

SOC - N/P Pesticides

- Alachlor - EPA 507

**PDC Laboratories, Inc. - Altorfer Drive**  
 ID: 998284430  
 P O Box 9071  
 Peoria IL 61615-  
 Phone: (309) 692-9688  
 Contact: Michael Travis  
 mtravis@pdclab.com  
 TYPE: Commercial Environmental Lab

- Atrazine - EPA 507
  - Simazine - EPA 507
- SOC - Herbicides
- 2,4-D - EPA 515.1
  - Dalapon - EPA 515.1
  - Dinoseb - EPA 515.1
  - Pentachlorophenol - EPA 515.1
  - Picloram - EPA 515.1
  - Silvex (2.4.5-TP) - EPA 515.1

SOC - Miscellaneous

- Benzo(a)pyrene - EPA 550
- Carbofuran - EPA 531.1
- Di(2-ethylhexyl)adipate - EPA 506
- Di(2-ethylhexyl)phthalate - EPA 506
- Dibromochloropropane (DBCP) - EPA 504
- Endothall - EPA 548.1
- Glyphosate - EPA 547
- Hexachlorobenzene - EPA 508
- Hexachlorocyclopentadiene - EPA 508
- Oxamyl (Vydate) - EPA 531.1

Trihalomethanes (THM)

- \* THM ANALYTE GROUP - EPA 524.2

Volatile Organic Compounds (VOC)

- \* VOCs, REGULATED ANALYTE GROUP  
 EPA 524.2

**Public Health Madison-Dane County Lab**  
 ID: 113139620  
 210 Martin Luther King Jr Blvd  
 Madison WI 53710-  
 Phone: (608) 266-4821  
 Contact: Kirsti Sorsa  
 ksorsa@cityofmadison.com  
 TYPE: Public Health Lab

**Matrix: Drinking Water**

Primary Inorganic Contaminants (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - EPA 353.2

**Public Health Madison-Dane County Lab**  
 ID: 113139620  
 210 Martin Luther King Jr Blvd  
 Madison WI 53710-  
 Phone: (608) 266-4821  
 Contact: Kirsti Sorsa  
 ksorsa@cityofmadison.com  
 TYPE: Public Health Lab

- Nitrite - EPA 300.0
  - Nitrite - EPA 353.2
- Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

Secondary Contaminants (Metals)

- Sodium - EPA 200.7

**Racine Wastewater Treatment Plant Lab**  
 ID: 252003400  
 800 Center St Room 227  
 Racine WI 53403-  
 Phone: (262) 636-9550  
 Contact: Nora Erlandson  
 nora.erlandson@cityofracine.org  
 TYPE: Municipal Wastewater Lab

**Matrix: Drinking Water**

Primary Inorganic Contaminants (Metals)

- Copper - SM 3111B (18 or 19)
- Lead - SM 3113B (18 or 19)

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Rock County Health Department

ID: 154077660

PO Box 1143

Janesville WI 53547-

Phone: (608) 757-5441

Contact: Timothy Banwell  
banwell@co.rock.wi.us

TYPE: Public Health Lab

### Matrix: Drinking Water

#### Primary Inorganic Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3- D (18,19, or 20)

### S-F Analytical Laboratories, Inc.

ID: 241249360

2345 S. 170th Street

New Berlin WI 53151-

Phone: (262) 754-5300

Contact: Tom Hungerford  
thungerford@sflabs.com

TYPE: Commercial Environmental Lab

### Matrix: Drinking Water

#### Primary Inorganic Contaminants (Non-Metals)

- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

#### Primary Inorganic Contaminants (Metals)

- Copper - SM 3111B (18 or 19)
- Lead - SM 3113B (18 or 19)

### SGS Environmental Services Inc

ID: 399001350

5500 Business Drive

Wilmington NC 28405-

Phone: (910) 350-1903

Contact: Greg Dickinson  
greg.dickinson@sgs.com

TYPE: Commercial Environmental Lab

### Matrix: Drinking Water

#### Synthetic Organic Contaminants (SOC) - Dioxin

- 2,3,7,8-TCDD (Dioxin) - EPA 1613

### Siemens Water Technologies

ID: 737053130

301 West Military Road

Rothschild WI 54474-

Phone: (715) 359-7226

Contact: Cindy Varga  
cindy.varga@siemens.com

TYPE: Commercial Environmental Lab

### Matrix: Drinking Water

#### Primary Inorganic Contaminants (Non-Metals)

- Cyanide - EPA 335.4
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2

#### Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

#### Secondary Contaminants (Non-Metals)

- Alkalinity - SM 2320B (18,19, or 20)
- Chloride - EPA 300.0
- Orthophosphate - EPA 365.1
- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C (18,19, or 20)

#### Secondary Contaminants (Metals)

- Aluminum - EPA 200.7
- Aluminum - EPA 200.8
- Calcium - EPA 200.7
- Iron - EPA 200.7

### Siemens Water Technologies

ID: 737053130

301 West Military Road

Rothschild WI 54474-

Phone: (715) 359-7226

Contact: Cindy Varga  
cindy.varga@siemens.com

TYPE: Commercial Environmental Lab

- Manganese - EPA 200.7
- Manganese - EPA 200.8
- Silica - SM 4500-Si-D (18 or 19)
- Silver - EPA 200.7
- Silver - EPA 200.8
- Sodium - EPA 200.7
- Zinc - EPA 200.7
- Zinc - EPA 200.8

#### SOC - Miscellaneous

- Dibromochloropropane (DBCP) - EPA 504
- Ethylene Dibromide (EDB) - EPA 504.1

#### Trihalomethanes (THM)

- \* THM ANALYTE GROUP - EPA 524.2

#### Volatile Organic Compounds (VOC)

- \* VOCS, REGULATED ANALYTE GROUP - EPA 524.2
- \* VOCS, UNREGULATED ANALYTE GROUP - EPA 524.2

### SpecPro / Badger AAP Env. Lab

ID: 157005530

1 Badger Road Hwy 12

Baraboo WI 53913-5000

Phone: (608) 643-3361

Contact: Carolyn Dallmann  
carolyn.dallmann@specpro-inc.com

TYPE: Commercial Environmental Lab

### Matrix: Drinking Water

#### Primary Inorganic Contaminants (Non-Metals)

- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

#### Primary Inorganic Contaminants (Metals)

- Antimony - SM 3113B (18 or 19)
- Arsenic - SM 3113B (18 or 19)
- Barium - EPA 200.7
- Beryllium - SM 3113B (18 or 19)
- Cadmium - EPA 200.7
- Chromium - EPA 200.7
- Copper - EPA 200.7
- Lead - SM 3113B (18 or 19)

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

*This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**SpecPro / Badger AAP Env. Lab**  
 ID: 157005530  
 1 Badger Road Hwy 12  
 Baraboo WI 53913-5000  
 Phone: (608) 643-3361  
 Contact: Carolyn Dallmann  
 carolyn.dallmann@specpro-inc.com  
 TYPE: Commercial Environmental Lab

- Mercury - SM 3112B (18 or 19)
- Nickel - EPA 200.7
- Selenium - SM 3113B (18 or 19)
- Secondary Contaminants (Metals)
- Sodium - EPA 200.7
- Trihalomethanes (THM)
- \* THM ANALYTE GROUP - EPA 524.2
- Volatile Organic Compounds (VOC)
- \* VOCS, REGULATED ANALYTE GROUP  
EPA 524.2

**Summit Environmental Technologies, Inc**  
 ID: 399013010  
 3310 Win Street  
 Cuyahoga Falls OH 44223-  
 Phone: (330) 253-8211  
 Contact: Ron Gibas  
 rgibas@settek.com  
 TYPE: Commercial Environmental Lab

**Summit Environmental Technologies, Inc**  
 ID: 399013010  
 3310 Win Street  
 Cuyahoga Falls OH 44223-  
 Phone: (330) 253-8211  
 Contact: Ron Gibas  
 rgibas@settek.com  
 TYPE: Commercial Environmental Lab

- Chromium - EPA 200.7
- Copper - EPA 200.7
- Lead - EPA 200.9
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Selenium - EPA 200.9
- Thallium - EPA 200.9
- Secondary Contaminants (Non-Metals)
- Chloride - EPA 300.0
- Orthophosphate - EPA 300.0
- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C  
(18,19, or 20)

- Secondary Contaminants (Metals)
- Aluminum - EPA 200.7
- Calcium - EPA 200.7
- Iron - EPA 200.7
- Manganese - EPA 200.7
- Silica - EPA 200.7
- Silver - EPA 200.7
- Sodium - EPA 200.7
- Zinc - EPA 200.7
- Synthetic Organic Contaminants (SOC) - Dioxin
- 2,3,7,8-TCDD (Dioxin) - EPA 1613

- SOC - Organochlorine Pesticides
- Chlordane - EPA 508
- Endrin - EPA 508
- Heptachlor - EPA 508
- Heptachlor epoxide - EPA 508
- Lindane (gamma-BHC) - EPA 508
- Methoxychlor - EPA 508
- Toxaphene - EPA 508

- SOC - N/P Pesticides
- Alachlor - EPA 525.2
- Atrazine - EPA 525.2
- Simazine - EPA 525.2

- SOC - Herbicides
- 2,4-D - EPA 515.1
- Dalapon - EPA 515.1
- Dinoseb - EPA 515.1
- Pentachlorophenol - EPA 515.1

**Summit Environmental Technologies, Inc**  
 ID: 399013010  
 3310 Win Street  
 Cuyahoga Falls OH 44223-  
 Phone: (330) 253-8211  
 Contact: Ron Gibas  
 rgibas@settek.com  
 TYPE: Commercial Environmental Lab

- Picloram - EPA 515.1
- Silvex (2.4.5-TP) - EPA 515.1
- SOC - Miscellaneous
- Benzo(a)pyrene - EPA 525.2
- Carbofuran - EPA 531.2
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504
- Diquat - EPA 549.2
- Endothall - EPA 548.1
- Ethylene Dibromide (EDB) - EPA 504.1
- Glyphosate - EPA 547
- Hexachlorobenzene - EPA 525.2
- Hexachlorocyclopentadiene - EPA 525.2
- Oxamyl (Vydate) - EPA 531.2
- PCBs (as Aroclors) Screening - EPA 508
- Trihalomethanes (THM)
- \* THM ANALYTE GROUP - EPA 524.2
- Volatile Organic Compounds (VOC)
- \* VOCS, REGULATED ANALYTE GROUP  
EPA 524.2
- \* VOCS, UNREGULATED ANALYTE  
GROUP - EPA 524.2

**SWD Labs, LLC**  
 ID: 111083830  
 PO Box 150  
 Randolph WI 53956-  
 Phone: (920) 326-5193  
 Contact: Sharon Pluim  
 sharonp@samswelldrilling.com  
 TYPE: Commercial Environmental Lab

- Matrix: Drinking Water**
- Primary Inorganic Contaminants (Non-Metals)
  - Nitrate - SM 4500-NO3- D (18,19, or 20)

**Matrix: Drinking Water**

- Disinfection Byproducts
- \* HALOACETIC ACIDS ANALYTE  
GROUP - EPA 552.2
- Bromate - EPA 300.1
- Bromide - EPA 300.1
- Chlorate - EPA 300.1
- Chlorite - EPA 300.1
- Primary Inorganic Contaminants (Non-Metals)
- Cyanide - SM 4500-CN- C,E (18,19, or 20)
- Cyanide, Amenable - SM 4500-CN- C,G  
(18,19, or 20)
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0
- Primary Inorganic Contaminants (Metals)
- Antimony - EPA 200.9
- Arsenic - EPA 200.9
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - EPA 200.7

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

*This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Synergy Environmental Lab, LLC**  
 ID: 445037560  
 1990 Prospect Court  
 Appleton WI 54914-  
 Phone: (920) 830-2455  
 Contact: Michael Ricker  
 mricker@water-right.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Trihalomethanes (THM)

- \* THM ANALYTE GROUP - EPA 524.2

Volatile Organic Compounds (VOC)

- \* VOCS, REGULATED ANALYTE GROUP  
EPA 524.2

**TestAmerica Watertown**  
 ID: 128053530  
 602 Commerce Drive  
 Watertown WI 53094-  
 Phone: (800) 833-7036  
 Contact: Paul Junio  
 Paul.Junio@testamericainc.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganic Contaminants (Non-Metals)

- Cyanide - EPA 335.4
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2

Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Contaminants (Metals)

- Sodium - EPA 200.7

**TestAmerica Watertown**  
 ID: 128053530  
 602 Commerce Drive  
 Watertown WI 53094-  
 Phone: (800) 833-7036  
 Contact: Paul Junio  
 Paul.Junio@testamericainc.com  
 TYPE: Commercial Environmental Lab

Trihalomethanes (THM)

- \* THM ANALYTE GROUP - EPA 524.2

Volatile Organic Compounds (VOC)

- \* VOCS, REGULATED ANALYTE GROUP  
EPA 524.2

**TestAmerica Savannah**  
 ID: 999819810  
 5102 LaRoche Avenue  
 Savannah GA 31404-  
 Phone: (912) 354-7858  
 Contact: Ammie Martin  
 amartin@stl-inc.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Disinfection Byproducts

- \* HALOACETIC ACIDS ANALYTE  
GROUP - EPA 552.2
- Bromate - EPA 300.1
- Chlorite - EPA 300.1

Primary Inorganic Contaminants (Non-Metals)

- Cyanide - EPA 335.4
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2

Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8

**TestAmerica Savannah**  
 ID: 999819810  
 5102 LaRoche Avenue  
 Savannah GA 31404-  
 Phone: (912) 354-7858  
 Contact: Ammie Martin  
 amartin@stl-inc.com  
 TYPE: Commercial Environmental Lab

- Mercury - EPA 200.8

- Mercury - EPA 245.1

- Nickel - EPA 200.7

- Nickel - EPA 200.8

- Selenium - EPA 200.8

- Thallium - EPA 200.8

Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

Secondary Contaminants (Metals)

- Sodium - EPA 200.7

SOC - Organochlorine Pesticides

- Chlordane - EPA 508
- Endrin - EPA 508
- Endrin - EPA 525.2
- Heptachlor - EPA 508
- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 508
- Heptachlor epoxide - EPA 525.2
- Lindane (gamma-BHC) - EPA 508
- Lindane (gamma-BHC) - EPA 525.2
- Methoxychlor - EPA 508
- Methoxychlor - EPA 525.2
- Toxaphene - EPA 508

SOC - N/P Pesticides

- Alachlor - EPA 525.2
- Atrazine - EPA 525.2
- Simazine - EPA 525.2

SOC - Herbicides

- 2,4-D - EPA 515.1
- Dalapon - EPA 515.1
- Dinoseb - EPA 515.1
- Pentachlorophenol - EPA 515.1
- Picloram - EPA 515.1
- Silvex (2,4,5-TP) - EPA 515.1

SOC - Miscellaneous

- Benzo(a)pyrene - EPA 525.2
- Carbofuran - EPA 531.1
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504
- Diquat - EPA 549.2

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

*This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**TestAmerica Savannah**  
 ID: 999819810  
 5102 LaRoche Avenue  
 Savannah GA 31404-  
 Phone: (912) 354-7858  
 Contact: Ammie Martin  
 amartin@stl-inc.com  
 TYPE: Commercial Environmental Lab

- Endothall - EPA 548.1
  - Ethylene Dibromide (EDB) - EPA 504.1
  - Glyphosate - EPA 547
  - Hexachlorobenzene - EPA 525.2
  - Hexachlorocyclopentadiene - EPA 525.2
  - Oxamyl (Vydate) - EPA 531.1
- Trihalomethanes (THM)
- \* THM ANALYTE GROUP - EPA 524.2
- Volatile Organic Compounds (VOC)
- \* VOCS, REGULATED ANALYTE GROUP EPA 524.2

**TestAmerica West Sacramento**  
 ID: 998204680  
 880 Riverside Parkway  
 West Sacramento CA 95605-  
 Phone: (916) 373-5600  
 Contact: Douglas Weir  
 pamelaschemmer@testamericainc.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Synthetic Organic Contaminants (SOC) - Dioxin

- 2,3,7,8-TCDD (Dioxin) - EPA 1613

**TG Analytical Laboratories**  
 ID: 445158340  
 PO Box 170  
 Greenville WI 54942-  
 Phone: (920) 757-1355  
 Contact: Lori Prah  
 tgal@diamondh2o.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Primary Inorganic Contaminants (Non-Metals)

- Fluoride - SM 4110B (18,19,20)
- Nitrate - SM 4110B (18,19, or 20)
- Nitrite - SM 4110B (18,19, or 20)

Primary Inorganic Contaminants (Metals)

- Arsenic - SM 3113B (18 or 19)
- Copper - SM 3113B (18 or 19)

**TG Analytical Laboratories**  
 ID: 445158340  
 PO Box 170  
 Greenville WI 54942-  
 Phone: (920) 757-1355  
 Contact: Lori Prah  
 tgal@diamondh2o.com  
 TYPE: Commercial Environmental Lab

- Lead - SM 3113B (18 or 19)

**Underwriters Laboratories Inc**  
 ID: 999766900  
 110 South Hill St  
 South Bend IN 46617-  
 Phone: (574) 233-4777  
 Contact: Dale Piechocki  
 dale.r.piechocki@us.ul.com  
 TYPE: Commercial Environmental Lab

**Matrix: Drinking Water**

Disinfection Byproducts

- \* HALOACETIC ACIDS ANALYTE GROUP - EPA 552.2
- Bromate - EPA 300.1
- Chlorite - EPA 300.0

Primary Inorganic Contaminants (Non-Metals)

- Cyanide - EPA 335.4
- Fluoride - SM 4500F- C (18,19, or 20)
- Fluoride - Technicon 380-75WE
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrite - EPA 353.2

Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Contaminants (Non-Metals)

- Sulfate - EPA 300.0

Secondary Contaminants (Metals)

- Sodium - EPA 200.7

Synthetic Organic Contaminants (SOC) - Dioxin

**Underwriters Laboratories Inc**  
 ID: 999766900  
 110 South Hill St  
 South Bend IN 46617-  
 Phone: (574) 233-4777  
 Contact: Dale Piechocki  
 dale.r.piechocki@us.ul.com  
 TYPE: Commercial Environmental Lab

- 2,3,7,8-TCDD (Dioxin) - EPA 1613

SOC - Organochlorine Pesticides

- Chlordane - EPA 505
- Endrin - EPA 525.2
- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 525.2
- Lindane (gamma-BHC) - EPA 525.2
- Methoxychlor - EPA 525.2
- Toxaphene - EPA 505

SOC - N/P Pesticides

- Alachlor - EPA 525.2
- Atrazine - EPA 525.2
- Simazine - EPA 525.2

SOC - Herbicides

- 2,4-D - EPA 515.3
- Dalapon - EPA 515.3
- Dinoseb - EPA 515.3
- Pentachlorophenol - EPA 515.3
- Picloram - EPA 515.3
- Silvex (2,4,5-TP) - EPA 515.3

SOC - Miscellaneous

- Benzo(a)pyrene - EPA 525.2
- Carbofuran - EPA 531.1
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504
- Diquat - EPA 549.2
- Endothall - EPA 548.1
- Ethylene Dibromide (EDB) - EPA 504.1
- Glyphosate - EPA 547
- Hexachlorobenzene - EPA 525.2
- Hexachlorocyclopentadiene - EPA 525.2
- Oxamyl (Vydate) - EPA 531.1

Trihalomethanes (THM)

- \* THM ANALYTE GROUP - EPA 524.2
- \* THM ANALYTE GROUP - EPA 551.1

Volatile Organic Compounds (VOC)

- \* VOCS, REGULATED ANALYTE GROUP EPA 524.2

# Wisconsin Department of Natural Resources

## List of Certified Drinking Water Laboratories

*This list is generally printed twice annually. To obtain a more recent list, please call (608) 267-7633 or send e-mail to DNRLabCert@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

### UWSP Water and Environmental Analysis

ID: 750040280  
 1900 Franklin St, ETF Lab  
 Stevens Point WI 54481-  
 Phone: (715) 346-4078  
 Contact: Richard Stephens  
 rstephen@uwsp.edu  
 TYPE: Commercial Environmental Lab

#### Matrix: Drinking Water

##### Primary Inorganic Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3-F (18,19, or 20)

### Waukesha County Parks and Land Use

ID: 268511760  
 1320 Pewaukee Road Room 260  
 Waukesha WI 53188-  
 Phone: (262) 896-8300  
 Contact: Mary Pakenham  
 mpakenham@waukeshacounty.gov  
 TYPE: Public Health Lab

#### Matrix: Drinking Water

##### Primary Inorganic Contaminants (Non-Metals)

- Nitrate - Orion 601

### Wisconsin State Laboratory of Hygiene

ID: 113133790  
 2601 Agriculture Dr  
 Madison WI 53707-7996  
 Phone: (800) 442-4618  
 Contact: Susan Hill  
 hill@mail.slh.wisc.edu  
 TYPE: Public Health Lab

##### Volatile Organic Compounds (VOC)

- \* VOCS, REGULATED ANALYTE GROUP EPA 524.2

### Vista Analytical Laboratory Inc

ID: 998036160  
 1104 Windfield Way  
 El Dorado Hills CA 95762-5702  
 Phone: (916) 933-1640  
 Contact: Rose Harrelson  
 rharrelson@vista-analytical.com  
 TYPE: Commercial Environmental Lab

#### Matrix: Drinking Water

##### Synthetic Organic Contaminants (SOC) - Dioxin

- 2,3,7,8-TCDD (Dioxin) - EPA 1613

### Wisconsin State Laboratory of Hygiene

ID: 113133790  
 2601 Agriculture Dr  
 Madison WI 53707-7996  
 Phone: (800) 442-4618  
 Contact: Susan Hill  
 hill@mail.slh.wisc.edu  
 TYPE: Public Health Lab

#### Matrix: Drinking Water

##### Disinfection Byproducts

- \* HALOACETIC ACIDS ANALYTE GROUP - EPA 552.2

##### Primary Inorganic Contaminants (Non-Metals)

- Cyanide - SM 4500-CN- C,E (18,19, or 20)
- Fluoride - Technicon 380-75WE
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - SM 4500-NO2- B (18,19, or 20)

##### Primary Inorganic Contaminants (Metals)

- Antimony - SM 3113B (18 or 19)
- Arsenic - SM 3113B (18 or 19)
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - SM 3113B (18 or 19)
- Chromium - SM 3113B (18 or 19)
- Copper - EPA 200.7
- Lead - SM 3113B (18 or 19)
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Selenium - SM 3113B (18 or 19)
- Thallium - EPA 200.9

##### Secondary Contaminants (Non-Metals)

- Sulfate - EPA 375.2

##### Secondary Contaminants (Metals)

- Sodium - EPA 200.7

##### Trihalomethanes (THM)

- \* THM ANALYTE GROUP - EPA 524.2

### Water Quality Testing Services

ID: 268533760  
 2965 N. Brookfield Rd.  
 Brookfield WI 53045-  
 Phone: (262) 786-3120  
 Contact: Mark Milanowski  
 markmilanowski@usa.net  
 TYPE: Commercial Environmental Lab

#### Matrix: Drinking Water

##### Primary Inorganic Contaminants (Non-Metals)

- Fluoride - SM 4500F- C (18,19, or 20)
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2

##### Primary Inorganic Contaminants (Metals)

- Copper - SM 3111B (18 or 19)
- Lead - SM 3113B (18 or 19)