

Elements by Townrange for Adams County

The Natural Heritage Inventory (NHI) database contains recent and historic element (rare species and natural community) observations. A generalized version of the NHI database is provided below as a general reference and should not be used as a substitute for a WI Dept of Natural Resources NHI review of a specific project area. The NHI database is dynamic, records are continually being added and/or updated. The following data are current as of 11/04/2011:

Town Range

| Scientific Name | Common Name | State Status | Federal Status | State Rank | Global Rank | Group Name |
|--|-------------------------------|--------------|----------------|------------|-------------|------------|
| <i>Microtus ochrogaster</i> | Prairie Vole | SC/N | | S2 | G5 | Mammal |
| 013N006E | | | | | | |
| <i>Ameletus lineatus</i> | A Mayfly | SC/N | | S2? | G5 | Mayfly- |
| <i>Northern dry-mesic forest</i> | Northern Dry-mesic Forest | NA | | S3 | G4 | Community |
| 013N007E | | | | | | |
| <i>Thamnophis sauritus</i> | Eastern Ribbonsnake | END | | S1 | G5 | Snake- |
| 014N005E | | | | | | |
| <i>Emydoidea blandingii</i> | Blanding's Turtle | THR | | S3S4 | G4 | Turtle- |
| 014N006E | | | | | | |
| <i>Alder thicket</i> | Alder Thicket | NA | | S4 | G4 | Community- |
| <i>Ameletus lineatus</i> | A Mayfly | SC/N | | S2? | G5 | Mayfly- |
| <i>Asplenium trichomanes</i> | Maidenhair Spleenwort | SC | | S3 | G5 | Plant |
| <i>Dryopteris fragrans</i> | Fragrant Fern | SC | | S3 | G5 | Plant |
| <i>Emydoidea blandingii</i> | Blanding's Turtle | THR | | S3S4 | G4 | Turtle- |
| <i>Gnaphalium obtusifolium var. saxicola</i> | Cliff Cudweed | THR | | S2 | G5T2 | Plant |
| <i>Hemlock relict</i> | Hemlock Relict | NA | | S2 | G2Q | Community |
| <i>Moist cliff</i> | Moist Cliff | NA | | S4 | GNR | Community |
| <i>Northern dry forest</i> | Northern Dry Forest | NA | | S3 | G3? | Community |
| <i>Northern dry-mesic forest</i> | Northern Dry-mesic Forest | NA | | S3 | G4 | Community |
| <i>Northern wet forest</i> | Northern Wet Forest | NA | | S4 | G4 | Community- |
| <i>Pine relict</i> | Pine Relict | NA | | S2 | G4 | Community |
| <i>Primula mistassinica</i> | Bird's-eye Primrose | SC | | S3 | G5 | Plant |
| <i>Seiurus motacilla</i> | Louisiana Waterthrush | SC/M | | S3B | G5 | Bird- |
| <i>Southern dry-mesic forest</i> | Southern Dry-mesic Forest | NA | | S3 | G4 | Community |
| <i>Stream--fast, hard, cold</i> | Stream--Fast, Hard, Cold | NA | | S4 | GNR | Community- |
| 014N007E | | | | | | |
| <i>Deschampsia cespitosa</i> | Tufted Hairgrass | SC | | S3 | G5 | Plant- |
| <i>Elatine triandra</i> | Longstem Water-wort | SC | | S1 | G5 | Plant- |
| <i>Northern sedge meadow</i> | Northern Sedge Meadow | NA | | S3 | G4 | Community- |
| <i>Ophisaurus attenuatus</i> | Slender Glass Lizard | END | | S1 | G5 | Lizard |
| <i>Spring pond</i> | Spring Pond | NA | | S3 | GNR | Community- |
| <i>Springs and spring runs, hard</i> | Springs and Spring Runs, Hard | NA | | S4 | GNR | Community- |
| <i>Thamnophis sauritus</i> | Eastern Ribbonsnake | END | | S1 | G5 | Snake- |
| <i>Tyto alba</i> | Barn Owl | END | | SNA | G5 | Bird |
| 015N005E | | | | | | |
| <i>Agalinis gattereri</i> | Roundstem Foxglove | THR | | S2 | G4 | Plant |
| <i>Cicindela macra</i> | A Tiger Beetle | SC/N | | S1S2 | G5 | Beetle- |
| <i>Dry cliff</i> | Dry Cliff | NA | | S4 | G4G5 | Community |
| <i>Haliaeetus leucocephalus</i> | Bald Eagle | SC/P | | S4B,S4N | G5 | Bird- |
| <i>Northern dry-mesic forest</i> | Northern Dry-mesic Forest | NA | | S3 | G4 | Community |
| <i>Ophiogomphus smithi</i> | Sand Snaketail | SC/N | | S2 | G2G3 | Dragonfly- |

| Town Range | Scientific Name | Common Name | State Status | Federal Status | State Rank | Global Rank | Group Name |
|------------|--|-------------------------------|--------------|----------------|------------|-------------|------------|
| | <i>Pine barrens</i> | Pine Barrens | NA | | S2 | G2 | Community |
| | <i>Primula mistassinica</i> | Bird's-eye Primrose | SC | | S3 | G5 | Plant |
| 015N006E | <i>Alder thicket</i> | Alder Thicket | NA | | S4 | G4 | Community- |
| | <i>Cygnus buccinator</i> | Trumpeter Swan | SC/M | | S4B | G4 | Bird- |
| | <i>Haliaeetus leucocephalus</i> | Bald Eagle | SC/P | | S4B,S4N | G5 | Bird- |
| | <i>Poa paludigena</i> | Bog Bluegrass | THR | | S3 | G3 | Plant- |
| | <i>Stream--fast, hard, cold</i> | Stream--Fast, Hard, Cold | NA | | S4 | GNR | Community- |
| 015N007E | <i>Calcareous fen</i> | Calcareous Fen | NA | | S3 | G3 | Community- |
| | <i>Eleocharis flavescens var. olivacea</i> | Capitate Spike-rush | SC | | S2 | G5 | Plant- |
| | <i>Eleocharis quadrangulata</i> | Square-stem Spike-rush | END | | S1 | G4 | Plant- |
| | <i>Emergent marsh</i> | Emergent Marsh | NA | | S4 | G4 | Community- |
| | <i>Emydoidea blandingii</i> | Blanding's Turtle | THR | | S3S4 | G4 | Turtle- |
| | <i>Haliaeetus leucocephalus</i> | Bald Eagle | SC/P | | S4B,S4N | G5 | Bird- |
| | <i>Lake--shallow, hard, seepage</i> | Lake--Shallow, Hard, Seepage | NA | | SU | GNR | Community- |
| | <i>Lake--shallow, soft, seepage</i> | Lake--Shallow, Soft, Seepage | NA | | S4 | GNR | Community- |
| | <i>Northern sedge meadow</i> | Northern Sedge Meadow | NA | | S3 | G4 | Community- |
| | <i>Notropis texanus</i> | Weed Shiner | SC/N | | S3 | G5 | Fish- |
| | <i>Oak barrens</i> | Oak Barrens | NA | | S2 | G2? | Community |
| | <i>Open bog</i> | Open Bog | NA | | S4 | G5 | Community- |
| | <i>Shrub-carr</i> | Shrub-carr | NA | | S4 | G5 | Community- |
| | <i>Southern sedge meadow</i> | Southern Sedge Meadow | NA | | S3 | G4? | Community- |
| 016N005E | <i>Asclepias ovalifolia</i> | Dwarf Milkweed | THR | | S3 | G5? | Plant |
| | <i>Central poor fen</i> | Central Poor Fen | NA | | S3 | G3G4 | Community- |
| | <i>Central sands pine-oak forest</i> | Central Sands Pine-Oak Forest | NA | | S3 | G3 | Community |
| | <i>Chlidonias niger</i> | Black Tern | SC/M | | S2B | G4 | Bird- |
| | <i>Coastal plain marsh</i> | Coastal Plain Marsh | NA | | S1 | G2? | Community- |
| | <i>Dry cliff</i> | Dry Cliff | NA | | S4 | G4G5 | Community |
| | <i>Glyptemys insculpta</i> | Wood Turtle | THR | | S2 | G4 | Turtle- |
| | <i>Gnaphalium helleri var. micradenium</i> | Catfoot | SC | | S1 | G4G5T3? | Plant |
| | <i>Haliaeetus leucocephalus</i> | Bald Eagle | SC/P | | S4B,S4N | G5 | Bird- |
| | <i>Lake--shallow, soft, seepage</i> | Lake--Shallow, Soft, Seepage | NA | | S4 | GNR | Community- |
| | <i>Northern dry forest</i> | Northern Dry Forest | NA | | S3 | G3? | Community |
| | <i>Ophiogomphus smithi</i> | Sand Snaketail | SC/N | | S2 | G2G3 | Dragonfly- |
| | <i>Opuntia fragilis</i> | Brittle Prickly-pear | THR | | S3 | G4G5 | Plant |
| | <i>Phemeranthus rugospermus</i> | Prairie Fame-flower | SC | | S3 | G3G4 | Plant |
| | <i>Pine barrens</i> | Pine Barrens | NA | | S2 | G2 | Community |
| | <i>Potamogeton diversifolius</i> | Water-thread Pondweed | SC | | S2 | G5 | Plant- |
| | <i>Rhexia virginica</i> | Virginia Meadow-beauty | SC | | S3 | G5 | Plant- |
| | <i>Scleria reticularis</i> | Reticulated Nutrush | END | | S1 | G4 | Plant- |
| | <i>Scleria triglomerata</i> | Whip Nutrush | SC | | S2S3 | G5 | Plant- |
| | <i>Shrub-carr</i> | Shrub-carr | NA | | S4 | G5 | Community- |
| | <i>Somatochlora incurvata</i> | Warpaint Emerald | END | | S2S3 | G4 | Dragonfly- |
| | <i>Southern sedge meadow</i> | Southern Sedge Meadow | NA | | S3 | G4? | Community- |
| | <i>Tamarack (poor) swamp</i> | Tamarack (Poor) Swamp | NA | | S3 | G4 | Community- |

| Town Range | Scientific Name | Common Name | State Status | Federal Status | State Rank | Global Rank | Group Name |
|------------|--|-------------------------------|--------------|----------------|------------|-------------|------------|
| | <i>Tamarack (rich) swamp</i> | Tamarack (Rich) Swamp | NA | | S3 | G3 | Community- |
| | <i>Williamsonia lintneri</i> | Ringed Boghaunter | SC/N | | S3 | G3 | Dragonfly- |
| 016N006E | <i>Alder thicket</i> | Alder Thicket | NA | | S4 | G4 | Community- |
| | <i>Anemone multifida var. hudsoniana</i> | Early Anemone | END | | S1 | G5T5 | Plant |
| | <i>Aster dumosus var. strictior</i> | Bushy Aster | SC | | S1 | G5T4 | Plant |
| | <i>Calcareous fen</i> | Calcareous Fen | NA | | S3 | G3 | Community- |
| | <i>Dry prairie</i> | Dry Prairie | NA | | S3 | G3 | Community |
| | <i>Northern sedge meadow</i> | Northern Sedge Meadow | NA | | S3 | G4 | Community- |
| | <i>Northern wet forest</i> | Northern Wet Forest | NA | | S4 | G4 | Community- |
| | <i>Ophisaurus attenuatus</i> | Slender Glass Lizard | END | | S1 | G5 | Lizard |
| | <i>Opuntia fragilis</i> | Brittle Prickly-pear | THR | | S3 | G4G5 | Plant |
| | <i>Penstemon hirsutus</i> | Hairy Beardtongue | SC | | S1 | G4 | Plant |
| | <i>Platanthera hookeri</i> | Hooker's Orchid | SC | | S2 | G4 | Plant |
| | <i>Shrub-carr</i> | Shrub-carr | NA | | S4 | G5 | Community- |
| | <i>Stream--fast, hard, cold</i> | Stream--Fast, Hard, Cold | NA | | S4 | GNR | Community- |
| 016N007E | <i>Anemone multifida var. hudsoniana</i> | Early Anemone | END | | S1 | G5T5 | Plant |
| | <i>Dry prairie</i> | Dry Prairie | NA | | S3 | G3 | Community |
| | <i>Emydoidea blandingii</i> | Blanding's Turtle | THR | | S3S4 | G4 | Turtle- |
| | <i>Lake--shallow, hard, seepage</i> | Lake--Shallow, Hard, Seepage | NA | | SU | GNR | Community- |
| | <i>Lake--shallow, soft, seepage</i> | Lake--Shallow, Soft, Seepage | NA | | S4 | GNR | Community- |
| | <i>Northern sedge meadow</i> | Northern Sedge Meadow | NA | | S3 | G4 | Community- |
| | <i>Opuntia fragilis</i> | Brittle Prickly-pear | THR | | S3 | G4G5 | Plant |
| | <i>Platanthera hookeri</i> | Hooker's Orchid | SC | | S2 | G4 | Plant |
| 016N008E | <i>Canis lupus</i> | Gray Wolf | SC/FL | LE | S4 | G4 | Mammal |
| 017N005E | <i>Asplenium trichomanes</i> | Maidenhair Spleenwort | SC | | S3 | G5 | Plant |
| | <i>Buteo lineatus</i> | Red-shouldered Hawk | THR | | S3S4B,S1N | G5 | Bird- |
| | <i>Central poor fen</i> | Central Poor Fen | NA | | S3 | G3G4 | Community- |
| | <i>Central sands pine-oak forest</i> | Central Sands Pine-Oak Forest | NA | | S3 | G3 | Community |
| | <i>Erynnis persius</i> | Persius Dusky Wing | SC/N | | S3 | G5 | Butterfly |
| | <i>Floodplain forest</i> | Floodplain Forest | NA | | S3 | G3? | Community- |
| | <i>Lycaeides melissa samuelis</i> | Karner Blue | SC/FL | LE | S3 | G5T2 | Butterfly |
| | <i>Ophiogomphus smithi</i> | Sand Snaketail | SC/N | | S2 | G2G3 | Dragonfly- |
| | <i>Pine barrens</i> | Pine Barrens | NA | | S2 | G2 | Community |
| | <i>Platanthera flava var. herbiola</i> | Pale Green Orchid | THR | | S2 | G4T4Q | Plant |
| | <i>Sand barrens</i> | Sand Barrens | NA | | SU | GNR | Community |
| | <i>Scleria reticularis</i> | Reticulated Nutrush | END | | S1 | G4 | Plant- |
| | <i>Somatochlora incurvata</i> | Warpaint Emerald | END | | S2S3 | G4 | Dragonfly- |
| | <i>Tamarack (poor) swamp</i> | Tamarack (Poor) Swamp | NA | | S3 | G4 | Community- |
| | <i>Williamsonia lintneri</i> | Ringed Boghaunter | SC/N | | S3 | G3 | Dragonfly- |
| 017N006E | <i>Agalinis skinneriana</i> | Pale False Foxglove | END | | S2 | G3G4 | Plant |
| | <i>Alder thicket</i> | Alder Thicket | NA | | S4 | G4 | Community- |

Town Range

| Scientific Name | Common Name | State Status | Federal Status | State Rank | Global Rank | Group Name |
|--------------------------------------|-------------------------------|--------------|----------------|------------|-------------|------------|
| <i>Atrytonopsis hianna</i> | Dusted Skipper | SC/N | | S2S3 | G4G5 | Butterfly |
| <i>Calcareous fen</i> | Calcareous Fen | NA | | S3 | G3 | Community- |
| <i>Callophrys irus</i> | Frosted Elfin | THR | | S1 | G3 | Butterfly |
| <i>Erynnis persius</i> | Persius Dusky Wing | SC/N | | S3 | G5 | Butterfly |
| <i>Juncus marginatus</i> | Grassleaf Rush | SC | | S2 | G5 | Plant- |
| <i>Lycaeides melissa samuelis</i> | Karner Blue | SC/FL | LE | S3 | G5T2 | Butterfly |
| <i>Northern sedge meadow</i> | Northern Sedge Meadow | NA | | S3 | G4 | Community- |
| <i>Northern wet forest</i> | Northern Wet Forest | NA | | S4 | G4 | Community- |
| <i>Ophiogomphus smithi</i> | Sand Snaketail | SC/N | | S2 | G2G3 | Dragonfly- |
| <i>Shrub-carr</i> | Shrub-carr | NA | | S4 | G5 | Community- |
| <i>Stream--fast, hard, cold</i> | Stream--Fast, Hard, Cold | NA | | S4 | GNR | Community- |
| 017N007E | | | | | | |
| <i>Alder thicket</i> | Alder Thicket | NA | | S4 | G4 | Community- |
| <i>Buteo lineatus</i> | Red-shouldered Hawk | THR | | S3S4B,S1N | G5 | Bird- |
| <i>Canis lupus</i> | Gray Wolf | SC/FL | LE | S4 | G4 | Mammal |
| <i>Catabrosa aquatica</i> | Brook Grass | END | | S1 | G5 | Plant- |
| <i>Deschampsia cespitosa</i> | Tufted Hairgrass | SC | | S3 | G5 | Plant- |
| <i>Lake--shallow, soft, seepage</i> | Lake--Shallow, Soft, Seepage | NA | | S4 | GNR | Community- |
| <i>Northern dry forest</i> | Northern Dry Forest | NA | | S3 | G3? | Community |
| <i>Northern sedge meadow</i> | Northern Sedge Meadow | NA | | S3 | G4 | Community- |
| <i>Oak woodland</i> | Oak Woodland | NA | | S1? | GNR | Community |
| <i>Southern dry forest</i> | Southern Dry Forest | NA | | S3 | G4 | Community |
| <i>Springs and spring runs, hard</i> | Springs and Spring Runs, Hard | NA | | S4 | GNR | Community- |
| <i>Stream--fast, hard, cold</i> | Stream--Fast, Hard, Cold | NA | | S4 | GNR | Community- |
| 017N008E | | | | | | |
| <i>Canis lupus</i> | Gray Wolf | SC/FL | LE | S4 | G4 | Mammal |
| <i>Stream--fast, hard, cold</i> | Stream--Fast, Hard, Cold | NA | | S4 | GNR | Community- |
| 018N004E | | | | | | |
| <i>Aphredoderus sayanus</i> | Pirate Perch | SC/N | | S3 | G5 | Fish- |
| <i>Emydoidea blandingii</i> | Blanding's Turtle | THR | | S3S4 | G4 | Turtle- |
| <i>Floodplain forest</i> | Floodplain Forest | NA | | S3 | G3? | Community- |
| <i>Haliaeetus leucocephalus</i> | Bald Eagle | SC/P | | S4B,S4N | G5 | Bird- |
| <i>Lycaeides melissa samuelis</i> | Karner Blue | SC/FL | LE | S3 | G5T2 | Butterfly |
| <i>Northern dry-mesic forest</i> | Northern Dry-mesic Forest | NA | | S3 | G4 | Community |
| <i>Northern sedge meadow</i> | Northern Sedge Meadow | NA | | S3 | G4 | Community- |
| <i>Northern wet forest</i> | Northern Wet Forest | NA | | S4 | G4 | Community- |
| <i>Oak barrens</i> | Oak Barrens | NA | | S2 | G2? | Community |
| <i>Ophiogomphus smithi</i> | Sand Snaketail | SC/N | | S2 | G2G3 | Dragonfly- |
| <i>Ophisaurus attenuatus</i> | Slender Glass Lizard | END | | S1 | G5 | Lizard |
| <i>Poa paludigena</i> | Bog Bluegrass | THR | | S3 | G3 | Plant- |
| <i>Shrub-carr</i> | Shrub-carr | NA | | S4 | G5 | Community- |
| <i>Sistrurus catenatus catenatus</i> | Eastern Massasauga | END | C | S1 | G3G4T3Q | Snake- |
| <i>Stream--slow, hard, warm</i> | Stream--Slow, Hard, Warm | NA | | SU | GNR | Community- |
| 018N005E | | | | | | |
| <i>Aphredoderus sayanus</i> | Pirate Perch | SC/N | | S3 | G5 | Fish- |
| <i>Canis lupus</i> | Gray Wolf | SC/FL | LE | S4 | G4 | Mammal |
| <i>Floodplain forest</i> | Floodplain Forest | NA | | S3 | G3? | Community- |
| <i>Ophiogomphus smithi</i> | Sand Snaketail | SC/N | | S2 | G2G3 | Dragonfly- |

| Town Range | Scientific Name | Common Name | State Status | Federal Status | State Rank | Global Rank | Group Name |
|------------|--------------------------------------|-------------------------------|--------------|----------------|------------|-------------|------------|
| | <i>Opuntia fragilis</i> | Brittle Prickly-pear | THR | | S3 | G4G5 | Plant |
| | <i>Stenelmis antennalis</i> | A Riffle Beetle | SC/N | | S2S3 | GNR | Beetle- |
| 018N006E | <i>Alder thicket</i> | Alder Thicket | NA | | S4 | G4 | Community- |
| | <i>Asclepias ovalifolia</i> | Dwarf Milkweed | THR | | S3 | G5? | Plant |
| | <i>Calamagrostis stricta</i> | Slim-stem Small Reed Grass | SC | | S3 | G5 | Plant- |
| | <i>Canis lupus</i> | Gray Wolf | SC/FL | LE | S4 | G4 | Mammal |
| | <i>Central sands pine-oak forest</i> | Central Sands Pine-Oak Forest | NA | | S3 | G3 | Community |
| | <i>Dry cliff</i> | Dry Cliff | NA | | S4 | G4G5 | Community |
| | <i>Erynnis persius</i> | Persius Dusky Wing | SC/N | | S3 | G5 | Butterfly |
| | <i>Floodplain forest</i> | Floodplain Forest | NA | | S3 | G3? | Community- |
| | <i>Galium brevipes</i> | Swamp Bedstraw | SC | | S1 | G4? | Plant- |
| | <i>Juncus marginatus</i> | Grassleaf Rush | SC | | S2 | G5 | Plant- |
| | <i>Lycaeides melissa samuelis</i> | Karner Blue | SC/FL | LE | S3 | G5T2 | Butterfly |
| | <i>Northern dry forest</i> | Northern Dry Forest | NA | | S3 | G3? | Community |
| | <i>Northern sedge meadow</i> | Northern Sedge Meadow | NA | | S3 | G4 | Community- |
| | <i>Northern wet forest</i> | Northern Wet Forest | NA | | S4 | G4 | Community- |
| | <i>Ophiogomphus smithi</i> | Sand Snaketail | SC/N | | S2 | G2G3 | Dragonfly- |
| | <i>Phemeranthus rugospermus</i> | Prairie Fame-flower | SC | | S3 | G3G4 | Plant |
| | <i>Pine barrens</i> | Pine Barrens | NA | | S2 | G2 | Community |
| | <i>Scleria triglomerata</i> | Whip Nutrush | SC | | S2S3 | G5 | Plant- |
| | <i>Stream--fast, hard, cold</i> | Stream--Fast, Hard, Cold | NA | | S4 | GNR | Community- |
| 018N007E | <i>Canis lupus</i> | Gray Wolf | SC/FL | LE | S4 | G4 | Mammal |
| | <i>Central poor fen</i> | Central Poor Fen | NA | | S3 | G3G4 | Community- |
| | <i>Lycaeides melissa samuelis</i> | Karner Blue | SC/FL | LE | S3 | G5T2 | Butterfly |
| | <i>Northern sedge meadow</i> | Northern Sedge Meadow | NA | | S3 | G4 | Community- |
| | <i>Oak barrens</i> | Oak Barrens | NA | | S2 | G2? | Community |
| | <i>Pine barrens</i> | Pine Barrens | NA | | S2 | G2 | Community |
| | <i>Sand barrens</i> | Sand Barrens | NA | | SU | GNR | Community |
| | <i>Shrub-carr</i> | Shrub-carr | NA | | S4 | G5 | Community- |
| 019N004E | <i>Central sands pine-oak forest</i> | Central Sands Pine-Oak Forest | NA | | S3 | G3 | Community |
| 019N005E | <i>Canis lupus</i> | Gray Wolf | SC/FL | LE | S4 | G4 | Mammal |
| | <i>Central sands pine-oak forest</i> | Central Sands Pine-Oak Forest | NA | | S3 | G3 | Community |
| | <i>Emergent marsh</i> | Emergent Marsh | NA | | S4 | G4 | Community- |
| | <i>Juncus marginatus</i> | Grassleaf Rush | SC | | S2 | G5 | Plant- |
| | <i>Lycaeides melissa samuelis</i> | Karner Blue | SC/FL | LE | S3 | G5T2 | Butterfly |
| | <i>Northern sedge meadow</i> | Northern Sedge Meadow | NA | | S3 | G4 | Community- |
| | <i>Northern wet forest</i> | Northern Wet Forest | NA | | S4 | G4 | Community- |
| | <i>Ophisaurus attenuatus</i> | Slender Glass Lizard | END | | S1 | G5 | Lizard |
| | <i>Scirpus torreyi</i> | Torrey's Bulrush | SC | | S2 | G5? | Plant- |
| 019N006E | <i>Asclepias ovalifolia</i> | Dwarf Milkweed | THR | | S3 | G5? | Plant |
| | <i>Canis lupus</i> | Gray Wolf | SC/FL | LE | S4 | G4 | Mammal |
| | <i>Floodplain forest</i> | Floodplain Forest | NA | | S3 | G3? | Community- |

| Town Range | Scientific Name | Common Name | State Status | Federal Status | State Rank | Global Rank | Group Name |
|------------|---|------------------------------|--------------|----------------|------------|-------------|------------|
| | <i>Gnaphalium helleri</i> var. <i>micradenium</i> | Catfoot | SC | | S1 | G4G5T3? | Plant |
| | <i>Haliaeetus leucocephalus</i> | Bald Eagle | SC/P | | S4B,S4N | G5 | Bird- |
| | <i>Lycaeides melissa samuelis</i> | Karner Blue | SC/FL | LE | S3 | G5T2 | Butterfly |
| | <i>Northern sedge meadow</i> | Northern Sedge Meadow | NA | | S3 | G4 | Community- |
| | <i>Northern wet forest</i> | Northern Wet Forest | NA | | S4 | G4 | Community- |
| | <i>Ophiogomphus smithi</i> | Sand Snaketail | SC/N | | S2 | G2G3 | Dragonfly- |
| | <i>Orobanche uniflora</i> | One-flowered Broomrape | SC | | S3 | G5 | Plant |
| | <i>Platanthera flava</i> var. <i>herbiola</i> | Pale Green Orchid | THR | | S2 | G4T4Q | Plant |
| | <i>Rhexia virginica</i> | Virginia Meadow-beauty | SC | | S3 | G5 | Plant- |
| 019N007E | | | | | | | |
| | <i>Alder thicket</i> | Alder Thicket | NA | | S4 | G4 | Community- |
| | <i>Asclepias ovalifolia</i> | Dwarf Milkweed | THR | | S3 | G5? | Plant |
| | <i>Canis lupus</i> | Gray Wolf | SC/FL | LE | S4 | G4 | Mammal |
| | <i>Emydoidea blandingii</i> | Blanding's Turtle | THR | | S3S4 | G4 | Turtle- |
| | <i>Hydraena pennsylvanica</i> | A Minute Moss Beetle | SC/N | | S2S3 | GNR | Beetle- |
| | <i>Lycaeides melissa samuelis</i> | Karner Blue | SC/FL | LE | S3 | G5T2 | Butterfly |
| | <i>Northern sedge meadow</i> | Northern Sedge Meadow | NA | | S3 | G4 | Community- |
| | <i>Northern wet forest</i> | Northern Wet Forest | NA | | S4 | G4 | Community- |
| | <i>Ophiogomphus smithi</i> | Sand Snaketail | SC/N | | S2 | G2G3 | Dragonfly- |
| | <i>Shrub-carr</i> | Shrub-carr | NA | | S4 | G5 | Community- |
| | <i>Stream--fast, hard, cold</i> | Stream--Fast, Hard, Cold | NA | | S4 | GNR | Community- |
| | <i>Tympanuchus cupido</i> | Greater Prairie-Chicken | THR | | S1B,S2N | G4 | Bird |
| 019N008E | | | | | | | |
| | <i>Emydoidea blandingii</i> | Blanding's Turtle | THR | | S3S4 | G4 | Turtle- |
| | <i>Stream--fast, hard, cold</i> | Stream--Fast, Hard, Cold | NA | | S4 | GNR | Community- |
| | <i>Tympanuchus cupido</i> | Greater Prairie-Chicken | THR | | S1B,S2N | G4 | Bird |
| 020N005E | | | | | | | |
| | <i>Buteo lineatus</i> | Red-shouldered Hawk | THR | | S3S4B,S1N | G5 | Bird- |
| | <i>Canis lupus</i> | Gray Wolf | SC/FL | LE | S4 | G4 | Mammal |
| | <i>Emydoidea blandingii</i> | Blanding's Turtle | THR | | S3S4 | G4 | Turtle- |
| | <i>Erynnis persius</i> | Persius Dusky Wing | SC/N | | S3 | G5 | Butterfly |
| | <i>Haliaeetus leucocephalus</i> | Bald Eagle | SC/P | | S4B,S4N | G5 | Bird- |
| | <i>Northern sedge meadow</i> | Northern Sedge Meadow | NA | | S3 | G4 | Community- |
| | <i>Ophisaurus attenuatus</i> | Slender Glass Lizard | END | | S1 | G5 | Lizard |
| | <i>Shrub-carr</i> | Shrub-carr | NA | | S4 | G5 | Community- |
| | <i>Sterna forsteri</i> | Forster's Tern | END | | S1B | G5 | Bird- |
| 020N006E | | | | | | | |
| | <i>Canis lupus</i> | Gray Wolf | SC/FL | LE | S4 | G4 | Mammal |
| | <i>Eleocharis engelmannii</i> | Engelmann's Spike-rush | SC | | S1 | G4G5Q | Plant- |
| | <i>Festuca paradoxa</i> | Cluster Fescue | SC | | SH | G5 | Plant |
| | <i>Juncus marginatus</i> | Grassleaf Rush | SC | | S2 | G5 | Plant- |
| | <i>Lake--shallow, hard, seepage</i> | Lake--Shallow, Hard, Seepage | NA | | SU | GNR | Community- |
| | <i>Lycaeides melissa samuelis</i> | Karner Blue | SC/FL | LE | S3 | G5T2 | Butterfly |
| | <i>Northern sedge meadow</i> | Northern Sedge Meadow | NA | | S3 | G4 | Community- |
| | <i>Northern wet forest</i> | Northern Wet Forest | NA | | S4 | G4 | Community- |
| | <i>Pine barrens</i> | Pine Barrens | NA | | S2 | G2 | Community |
| | <i>Platanthera flava</i> var. <i>herbiola</i> | Pale Green Orchid | THR | | S2 | G4T4Q | Plant |

| Town Range | Scientific Name | Common Name | State Status | Federal Status | State Rank | Global Rank | Group Name |
|------------|-----------------------------------|--------------------------|--------------|----------------|------------|-------------|------------|
| | <i>Shrub-carr</i> | Shrub-carr | NA | | S4 | G5 | Community- |
| 020N007E | <i>Alder thicket</i> | Alder Thicket | NA | | S4 | G4 | Community- |
| | <i>Canis lupus</i> | Gray Wolf | SC/FL | LE | S4 | G4 | Mammal |
| | <i>Haliaeetus leucocephalus</i> | Bald Eagle | SC/P | | S4B,S4N | G5 | Bird- |
| | <i>Lycaena dione</i> | Gray Copper | SC/N | | S2? | G5 | Butterfly- |
| | <i>Northern sedge meadow</i> | Northern Sedge Meadow | NA | | S3 | G4 | Community- |
| | <i>Ophiogomphus smithi</i> | Sand Snaketail | SC/N | | S2 | G2G3 | Dragonfly- |
| | <i>Stream--fast, hard, cold</i> | Stream--Fast, Hard, Cold | NA | | S4 | GNR | Community- |
| | <i>Tympanuchus cupido</i> | Greater Prairie-Chicken | THR | | S1B,S2N | G4 | Bird |
| 020N008E | <i>Tympanuchus cupido</i> | Greater Prairie-Chicken | THR | | S1B,S2N | G4 | Bird |
| 021N005E | <i>Haliaeetus leucocephalus</i> | Bald Eagle | SC/P | | S4B,S4N | G5 | Bird- |
| 021N007E | <i>Lycaeides melissa samuelis</i> | Karner Blue | SC/FL | LE | S3 | G5T2 | Butterfly |
| | <i>Tympanuchus cupido</i> | Greater Prairie-Chicken | THR | | S1B,S2N | G4 | Bird |
| 021N008E | <i>Tympanuchus cupido</i> | Greater Prairie-Chicken | THR | | S1B,S2N | G4 | Bird |
| 022N007E | <i>Tympanuchus cupido</i> | Greater Prairie-Chicken | THR | | S1B,S2N | G4 | Bird |
| 022N008E | <i>Tympanuchus cupido</i> | Greater Prairie-Chicken | THR | | S1B,S2N | G4 | Bird |

This report lists locations for all elements occurring in Adams County, since many element occurrences cross county boundaries, it may also list townships from additional counties.